

Detailed Features Listing

AMD Radeon™ HD 8950 GPU Feature Summary (OEM)

- Up to 925MHz Engine Clock
- 3GB GDDR5 Memory
- 1250MHz Memory Clock (5.0 Gbps GDDR5)
- 240GB/s memory bandwidth (maximum)
- 3.31 TFLOPs Single Precision compute power
- 827 GFLOPs Double Precision compute power
- 3GB GDDR5 Memory
- GCN Architecture¹
 - 28 Compute Units (1792 Stream Processors)
 - 112 Texture Units
 - 128 Z/Stencil ROP Units
 - 32 Color ROP Units
 - Dual geometry units
 - Dual Asynchronous Compute Engines (ACE)
- PCI Express 3.0 x16 bus interface²
- DirectX® 11.1-capable graphics
 - 9th generation programmable hardware tessellation units
 - Shader Model 5.0
 - DirectCompute 11
 - Accelerated multi-threading
 - HDR texture compression
 - Order-independent transparency
- OpenGL 4.2 support
 - Partially Resident Textures (PRT)
 - Ultra-high resolution texture streaming technology
- Image quality enhancement technology
 - Up to 24x multi-sample and super-sample anti-aliasing modes
 - Adaptive anti-aliasing
 - Morphological Anti-Aliasing (MLAA) 2.0
 - DirectX® 9/10/11 Super Sample Anti-Aliasing (SSAA)
 - Automatic LOD adjustment (Requires AMD Catalyst™ 12.4 or higher)
 - 16x angle independent anisotropic texture filtering
 - 128-bit floating point HDR rendering
- AMD Eyefinity multi-display technology³
 - Up to 6 displays supported with DisplayPort 1.2 Multi-Stream Transport
 - Independent resolutions, refresh rates, color controls, and video overlays
 - Display grouping
 - Combine multiple displays to behave like a single large display
- AMD App Acceleration⁴
 - OpenCL 1.2 Support
 - Microsoft C++ AMP
 - DirectCompute 11
 - Double Precision Floating Point
 - AMD HD Media Accelerator
 - Unified Video Decoder (UVD)
 - H.264
 - VC-1
 - MPEG-2 (SD & HD)
 - MVC (Blu-ray 3D)
 - MPEG-4 Part 2 (DivX/Xvid)
 - Adobe Flash
 - DXVA 1.0 & 2.0 support
 - Video Codec Engine (VCE)
 - Multi-stream hardware H.264 encoder
 - Full-fixed mode: 1080p @ 60 FPS encoding
 - Hybrid mode: Stream Processor-assisted encoding
 - Enhanced Video Quality features
 - Advanced post-processing and scaling
 - Deblocking
 - Denoising

- Automatic deinterlacing
 - Mosquito noise reduction
 - Edge enhancement
 - 3:2 pulldown detection
- Advanced video color correction
 - Brighter whites processing (Blue Stretch)
 - Independent video gamma control
 - Flesh tone correction
 - Color vibrance control
 - Dynamic contrast
 - Dynamic video range control
- AMD HD3D technology⁵
 - Stereoscopic 3D display/glasses support
 - Blu-ray 3D support
 - Stereoscopic 3D gaming
 - 3rd party Stereoscopic 3D middleware software support
- AMD CrossFire™ multi-GPU technology⁶
 - Dual, triple or quad-GPU scaling
- Cutting-edge integrated display support
 - DisplayPort 1.2 HBR2
 - Max resolution: 4096x2160 per display
 - Multi-Stream Transport
 - 21.6 Gbps bandwidth
 - High bit-rate audio
 - Quad HD/4k video support
 - HDMI® (With 4K, 3D, x.v.Color™ and Deep Color)
 - Max resolution: 4096x2160
 - 1080p60 Stereoscopic 3D
 - Quad HD/4k video support
 - Dual-link DVI with HDCP
 - Max resolution: 2560x1600
 - VGA
 - Max resolution: 2048x1536
- Integrated HD audio controller
 - Output protected high bit rate 7.1 channel surround sound over HDMI with no additional cables required
 - Supports AC-3, AAC, Dolby TrueHD and DTS Master Audio formats
- AMD PowerPlay™ power management technology⁷
 - Automatic power management with low power idle states
- AMD PowerTune technology (with Boost)⁷
 - Intelligent TDP management technology
 - Dynamic clockspeed/performance enhancement for games
- AMD ZeroCore Power technology⁷
 - Ultra-low idle power when the system's display is off
 - Efficient low power mode for desktop work
 - Secondary GPUs in an AMD CrossFire™ technology configuration power down when unneeded
- AMD Catalyst™ graphics and HD video configuration software
 - Software support for Windows XP, Windows Vista, Windows 7 and Windows 8.
 - AMD Catalyst™ Control Center - AMD Catalyst™ software application and user interface for setup, configuration, and accessing features of AMD Radeon products.
 - Unified Graphics display driver - AMD Catalyst™ software enabling other PC programs and devices to use advanced graphics, video, and features of AMD Radeon™ products.

Additional Information

Additional hardware (e.g. Blu-ray drive, HD or 10-bit monitor, TV tuner) and/or software (e.g. multimedia applications) are required for the full enablement of some features. Not all features may be supported on all components or systems - check with your component or system manufacturer for specific model capabilities and supported technologies.

- 1** The GCN Architecture and its associated features (PCI Express® 3.0, AMD ZeroCore Power technology, DDM Audio, and 28nm production) are exclusive to the AMD Radeon™ HD 8900, HD 8800, HD 8700, HD 8670, HD 8570, HD 7900, HD 7800 and HD 7700 Series Graphics.
- 2** Utilization of PCI Express 3.0 bandwidth requires a mainboard equipped with a PCI Express 3.0 PHY. Not all mainboards feature this technology – check with your component or system manufacturer for specific model capabilities.
- 3** AMD Eyefinity technology supports up to six DisplayPort™ monitors on an enabled graphics card. Supported display quantity, type and resolution vary by model and board design; confirm specifications with manufacturer before purchase. To enable more than two displays, or multiple displays from a single output, additional hardware such as DisplayPort-ready monitors or DisplayPort 1.2 MST-enabled hubs may be required. Maximum two active adapters supported. See www.amd.com/eyefinityfaq for full details.
- 4** AMD App Acceleration is a set of technologies designed to improve video quality and enhance application performance. Full enablement of some features requires support for OpenCL™, DirectCompute or DirectX® Video Acceleration (DXVA) (including AMD's Universal Video Decoder (UVD)). Not all products have all features and full enablement of some capabilities and may require complementary products.
- 5** AMD HD3D is a technology designed to enable stereoscopic 3D support in games, movies and/or photos. Requires 3D stereo drivers, glasses, and display. Not all features may be supported on all components or systems – check with your component or system manufacturer for specific model capabilities and supported technologies. A list of supported stereoscopic 3D hardware is available at <http://www.amd.com/HD3D>.
- 6** AMD CrossFire™ technology requires an AMD CrossFire Ready motherboard, an AMD CrossFire™ Bridge Interconnect (for each additional graphics card) and may require a specialized power supply.
- 7** AMD PowerPlay. AMD PowerTune, AMD ZeroCore and other AMD power management technologies are a family of technologies offered with certain AMD Radeon™ graphics products, which are designed to intelligently manage GPU power consumption in response to certain GPU load conditions. Not all products feature all technologies—check with your component or system manufacturer for specific model capabilities.

©2012 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, Catalyst, CrossFire, PowerPlay, Radeon and combinations thereof are trademarks of Advanced Micro Devices, Inc. Microsoft, Windows, Windows Vista, and DirectX are registered trademarks of Microsoft Corporation in the U.S. and/or other jurisdictions. PCI Express is a registered trademark of PCI-SIG. Other names are for informational purposes only and may be trademarks of their respective owners.